

Supplementary Information

Use of Natural Deep Eutectic Solvents for Polymerization and Polymer Reactions

*Analía V. Gómez,^{a,b} Atanu Biswas,[†] *^c Carmen C. Tadini,^{a,b} Roselayne F. Furtado,^d
Carlucio R. Alves^e and Huai N. Cheng^{*f}*

^a*Departamento de Engenharia Química, Escola Politécnica, Universidade de São Paulo,
05508-010 São Paulo-SP, Brazil*

^b*Centro de Pesquisa em Alimento (FoRC), Núcleo de Apoio à Pesquisa em Alimentos e Nutrição (NAPAN),
Universidade de São Paulo, 05508-010 São Paulo-SP, Brazil*

^c*USDA Agricultural Research Service, National Center for Agricultural Utilization Research,
1815 North University Street, 61604 Peoria, IL, USA*

^d*Embrapa Agroindústria Tropical, Rua Dra. Sara Mesquita, 2270, 60511-110 Fortaleza-CE, Brazil*

^e*Departamento de Química, Universidade Estadual do Ceará, Av. Dr. Silas Munguba, 1700,
60740-903 Fortaleza-CE, Brazil*

^f*USDA Agricultural Research Service, Southern Regional Research Center, 1100 Robert E. Lee Blvd.,
70124 New Orleans, LA, USA*




Figure S1. Chemical structures of components commonly used in natural deep eutectic solvents: