

An Environmentally Friendly Procedure to Obtain Flavonoids from Brazilian Citrus Waste

**Barbara S. Bellete,^{*,a} Luize Z. Ramin,^a Deyvid Porto,^a Alany I. Ribeiro,^a Moacir R. Forim,^a
Vânia G. Zuin,^a João B. Fernandes^a and Maria Fátima G. F. Silva^a**

^aDepartamento de Química, Universidade Federal de São Carlos,
Rod. Washington Luís, km 235, SP-310, 13565-905 São Carlos-SP, Brazil

Vol. 29, No. 5, 1123-1129, 2018

<http://dx.doi.org/10.21577/0103-5053.20180020>

Page 1123, Abstract section, 5th line:

Where it reads “hesperitin” should be read “hesperetin”.


Page 1125, 2nd column, 39th line:

Where it reads “hesperitin” should be read “hesperetin”.


Page 1127, Figure 2:

Where it reads

Should be read



Hesperitin (2)



Hesperetin (2)

Page 1127, Table 3, 6th column:

Where it reads “hesperitin” should be read “hesperetin”.

*e-mail: barbarabellete@gmail.com

This paper is part of the PubliSBQ Special Issue “IUPAC-2017”
(<http://publi.s bq.org.br/>).