

Antitumoral, Antileishmanial and Antimalarial Activity of Pentacyclic 1,4-Naphthoquinone Derivatives

Alcides J.M. da Silva,^{*,a} Chaquip D. Netto,^a Wallace Pacienza-Lima,^b Eduardo Caio Torres-Santos,^{b,c}
Bartira Rossi-Bergmann,^b Severine Maurel,^d Alexis Valentin^d and Paulo R.R. Costa^{*,a}

^aLaboratório de Química Bioorgânica, Núcleo de Pesquisas de Produtos Naturais; Centro de Ciências da Saúde,
Bloco H, Universidade Federal do Rio de Janeiro-RJ 21941-590, Brazil

^bInstituto de Biofísica Carlos Chagas Filho; Centro de Ciências da Saúde, Bloco G, Universidade Federal do
Rio de Janeiro, Rio de Janeiro-RJ 21941-590, Brazil

^cLaboratório de Bioquímica de Tripanosomatídeos, Instituto Oswaldo Cruz, Rio de Janeiro-RJ 21045-900, Brazil

^dUMR 152, IRD Université Paul Sabatier, Pharmacochimie des Substances Naturelles et Pharmacophores Redox.
Faculté de Pharmacie, 118 route de Narbonne, F-31062 Toulouse Cedex 4, France




Figure S1. ¹³C NMR (APT) spectrum for compound 9a.




Figure S2. ¹³C NMR spectrum for compound 9a.




Figure S3. ¹H NMR spectrum for compound 9a




Figure S4. Infra Red spectrum for compound **9a**.




Figure S5. ^1H NMR spectrum for compound **9b**.




Figure S6. IR mass spectrum for compound **9b**.






Figure S7. ^{13}C (APT) NMR spectrum for compound **9c**.

**Figure S8.** ^{13}C NMR spectrum for compound **9c**.**Figure S9.** ^1H NMR spectrum for compound **9c**.




Figure S10. Infra Red spectrum for compound **9c**.